

ARCHITECTURAL DOWNLIGHTS COLLECTION

Downlight ADL-C Tilt

34.43 V IP20 CRI 80+ / 90+ 5-YEAR WARRANTY SINGLE COLOUR

The ADL C Tilt Downlight adds flexible directional lighting to the ADL-C range, allowing the luminaire to rotate up to 30° for precise highlighting and accent applications. Perfect for sloped ceilings, feature walls, displays, or architectural focal points, it provides controlled, low glare light with the same refined aesthetic as the standard version. This variant gives designers greater freedom to shape lighting effects while preserving uniformity across the project.

POWER PACKAGES

9 W – 13 W

LUMINOUS FLUX

488 Lm – 1449 Lm

GLARE PERFORMANCE

UGR < 13

SERVICE LIFETIME

L90B10 > 60kh



TESTED & CERTIFIED UNDER INTERNATIONAL STANDARDS




SCAN TO VIEW SERIES ONLINE

OPTICAL ENGINEERING & DIMENSIONS

DOWNLIGHT ADL-C TILT

PHOTOMETRIC DISTRIBUTION


PRECISION TIR OPTICS



Precision collimating optics deliver uniform beam distributions with tight cut-off angles and soft peripheral halos, suppressing visual glare in occupied zones.

DIMENSIONS & CEILING CUT-OUT

CUTOUT: Ø 54 MM HOLE



OUTER DIMENSIONS	Ø 87 mm x H 100 mm
CEILING CUTOUT	Ø 54 mm Hole
RECESSED DEPTH	100 mm (Clearance Req.)
CEILING THICKNESS	1 mm – 25 mm

ELECTRICAL & CONTROL SPECS

INPUT VOLTAGE	34.43 V (Constant Current)
OPERATING CURRENT	250 Ma
AVAILABLE POWER	9 W – 13 W
DIMMING PROTOCOLS	Phase, 0-10V, DALI-2, Casambi
OPERATING TEMP	-25°C to +50°C
STORAGE TEMP	-25°C to +80°C
INGRESS PROTECTION	IP20
WARRANTY	5-Year System Guarantee

OPTICAL & FINISH OPTIONS

AVAILABLE CCT	2700K, 3000K, 3500K, 4000K
COLOUR FIDELITY	CRI 80+, CRI 90+
BEAM ANGLES	L20, L30, L50
HOUSING COLOURS	Black, White
BAFFLE / TRIM FINISHES	Dark Black, Dark Gold, No dark
LED PACKAGE	Nichia Architectural Grade

PART NUMBER DECODING LOGIC

[SERIES] [TRIM] [FINISH] [WATT] [BEAM] [CRI+CCT] [HOUSING]

Example: ADL_C-Tilt ND SW 9W L20 827 PW

- Prefix: Series & Trim Type | SW: Single Colour White
- Wattage: 9W / 13W | Beam: L20 (20°) / L30 (30°) / L50 (50°)
- 827/927: CRI 80/90, 2700K–4000K | Housing: PW (White) / PB (Black)

CONTROL, DRIVERS & EMERGENCY

DRIVER LOCATION	Remote Constant Current Driver
CONTROL PROTOCOLS	Fixed Output, DALI-2 (DT6), 1-10V, Casambi
FLICKER STANDARD	IEEE 1789 Compliant (Low Flicker < 3%)
EMERGENCY OPTION	3-Hour Maintained / DALI Emergency Kit
MOUNTING SYSTEM	Heavy-duty stainless steel spring retention
THERMAL BUILD	Cast aluminium passive heatsink architecture

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 3 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt ND SW 9W L20 827 PW	9 W	2700K	CRI 80+	L20	876 Lm	102 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 827 PB	9 W	2700K	CRI 80+	L20	876 Lm	102 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 830 PW	9 W	3000K	CRI 80+	L20	876 Lm	102 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 830 PB	9 W	3000K	CRI 80+	L20	876 Lm	102 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 835 PW	9 W	3500K	CRI 80+	L20	944 Lm	110 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 835 PB	9 W	3500K	CRI 80+	L20	944 Lm	110 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 840 PW	9 W	4000K	CRI 80+	L20	944 Lm	110 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 840 PB	9 W	4000K	CRI 80+	L20	944 Lm	110 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 927 PW	9 W	2700K	CRI 90+	L20	710 Lm	82 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 927 PB	9 W	2700K	CRI 90+	L20	710 Lm	82 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 930 PW	9 W	3000K	CRI 90+	L20	759 Lm	88 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 930 PB	9 W	3000K	CRI 90+	L20	759 Lm	88 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 935 PW	9 W	3500K	CRI 90+	L20	817 Lm	95 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 935 PB	9 W	3500K	CRI 90+	L20	817 Lm	95 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 940 PW	9 W	4000K	CRI 90+	L20	817 Lm	95 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L20 940 PB	9 W	4000K	CRI 90+	L20	817 Lm	95 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 827 PW	9 W	2700K	CRI 80+	L30	918 Lm	107 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 827 PB	9 W	2700K	CRI 80+	L30	918 Lm	107 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 830 PW	9 W	3000K	CRI 80+	L30	918 Lm	107 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 830 PB	9 W	3000K	CRI 80+	L30	918 Lm	107 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 835 PW	9 W	3500K	CRI 80+	L30	989 Lm	115 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 835 PB	9 W	3500K	CRI 80+	L30	989 Lm	115 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 840 PW	9 W	4000K	CRI 80+	L30	989 Lm	115 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 840 PB	9 W	4000K	CRI 80+	L30	989 Lm	115 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 927 PW	9 W	2700K	CRI 90+	L30	745 Lm	87 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 927 PB	9 W	2700K	CRI 90+	L30	745 Lm	87 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 930 PW	9 W	3000K	CRI 90+	L30	795 Lm	92 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 930 PB	9 W	3000K	CRI 90+	L30	795 Lm	92 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 935 PW	9 W	3500K	CRI 90+	L30	856 Lm	99 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 935 PB	9 W	3500K	CRI 90+	L30	856 Lm	99 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 940 PW	9 W	4000K	CRI 90+	L30	856 Lm	99 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L30 940 PB	9 W	4000K	CRI 90+	L30	856 Lm	99 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 827 PW	9 W	2700K	CRI 80+	L50	781 Lm	91 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 827 PB	9 W	2700K	CRI 80+	L50	781 Lm	91 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 830 PW	9 W	3000K	CRI 80+	L50	781 Lm	91 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 830 PB	9 W	3000K	CRI 80+	L50	781 Lm	91 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 835 PW	9 W	3500K	CRI 80+	L50	841 Lm	98 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 835 PB	9 W	3500K	CRI 80+	L50	841 Lm	98 Lm/W	Black	No dark	PDF ↗

ARCHITAPE ARCHITECTURAL SERIES BOOK

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 4 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt ND SW 9W L50 840 PW	9 W	4000K	CRI 80+	L50	841 Lm	98 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 840 PB	9 W	4000K	CRI 80+	L50	841 Lm	98 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 927 PW	9 W	2700K	CRI 90+	L50	633 Lm	74 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 927 PB	9 W	2700K	CRI 90+	L50	633 Lm	74 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 930 PW	9 W	3000K	CRI 90+	L50	676 Lm	79 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 930 PB	9 W	3000K	CRI 90+	L50	676 Lm	79 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 935 PW	9 W	3500K	CRI 90+	L50	728 Lm	85 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 935 PB	9 W	3500K	CRI 90+	L50	728 Lm	85 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 940 PW	9 W	4000K	CRI 90+	L50	728 Lm	85 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 9W L50 940 PB	9 W	4000K	CRI 90+	L50	728 Lm	85 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 827 PW	13 W	2700K	CRI 80+	L20	1286 Lm	107 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 827 PB	13 W	2700K	CRI 80+	L20	1286 Lm	107 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 830 PW	13 W	3000K	CRI 80+	L20	1286 Lm	107 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 830 PB	13 W	3000K	CRI 80+	L20	1286 Lm	107 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 835 PW	13 W	3500K	CRI 80+	L20	1383 Lm	115 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 835 PB	13 W	3500K	CRI 80+	L20	1383 Lm	115 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 840 PW	13 W	4000K	CRI 80+	L20	1383 Lm	115 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 840 PB	13 W	4000K	CRI 80+	L20	1383 Lm	115 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 927 PW	13 W	2700K	CRI 90+	L20	1043 Lm	87 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 927 PB	13 W	2700K	CRI 90+	L20	1043 Lm	87 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 930 PW	13 W	3000K	CRI 90+	L20	1116 Lm	93 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 930 PB	13 W	3000K	CRI 90+	L20	1116 Lm	93 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 935 PW	13 W	3500K	CRI 90+	L20	1116 Lm	93 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 935 PB	13 W	3500K	CRI 90+	L20	1116 Lm	93 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 940 PW	13 W	4000K	CRI 90+	L20	1200 Lm	100 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L20 940 PB	13 W	4000K	CRI 90+	L20	1200 Lm	100 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 827 PW	13 W	2700K	CRI 80+	L30	1348 Lm	112 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 827 PB	13 W	2700K	CRI 80+	L30	1348 Lm	112 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 830 PW	13 W	3000K	CRI 80+	L30	1348 Lm	112 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 830 PB	13 W	3000K	CRI 80+	L30	1348 Lm	112 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 835 PW	13 W	3500K	CRI 80+	L30	1449 Lm	121 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 835 PB	13 W	3500K	CRI 80+	L30	1449 Lm	121 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 840 PW	13 W	4000K	CRI 80+	L30	1449 Lm	121 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 840 PB	13 W	4000K	CRI 80+	L30	1449 Lm	121 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 927 PW	13 W	2700K	CRI 90+	L30	1094 Lm	91 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 927 PB	13 W	2700K	CRI 90+	L30	1094 Lm	91 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 930 PW	13 W	3000K	CRI 90+	L30	1169 Lm	97 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 930 PB	13 W	3000K	CRI 90+	L30	1169 Lm	97 Lm/W	Black	No dark	PDF ↗

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 5 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt ND SW 13W L30 935 PW	13 W	3500K	CRI 90+	L30	1169 Lm	97 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 935 PB	13 W	3500K	CRI 90+	L30	1169 Lm	97 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 940 PW	13 W	4000K	CRI 90+	L30	1258 Lm	105 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L30 940 PB	13 W	4000K	CRI 90+	L30	1258 Lm	105 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 827 PW	13 W	2700K	CRI 80+	L50	1146 Lm	95 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 827 PB	13 W	2700K	CRI 80+	L50	1146 Lm	95 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 830 PW	13 W	3000K	CRI 80+	L50	1146 Lm	95 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 830 PB	13 W	3000K	CRI 80+	L50	1146 Lm	95 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 835 PW	13 W	3500K	CRI 80+	L50	1233 Lm	103 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 835 PB	13 W	3500K	CRI 80+	L50	1233 Lm	103 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 840 PW	13 W	4000K	CRI 80+	L50	1233 Lm	103 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 840 PB	13 W	4000K	CRI 80+	L50	1233 Lm	103 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 927 PW	13 W	2700K	CRI 90+	L50	930 Lm	77 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 927 PB	13 W	2700K	CRI 90+	L50	930 Lm	77 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 930 PW	13 W	3000K	CRI 90+	L50	995 Lm	83 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 930 PB	13 W	3000K	CRI 90+	L50	995 Lm	83 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 935 PW	13 W	3500K	CRI 90+	L50	995 Lm	83 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 935 PB	13 W	3500K	CRI 90+	L50	995 Lm	83 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 940 PW	13 W	4000K	CRI 90+	L50	1070 Lm	89 Lm/W	White	No dark	PDF ↗
ADL_C-Tilt ND SW 13W L50 940 PB	13 W	4000K	CRI 90+	L50	1070 Lm	89 Lm/W	Black	No dark	PDF ↗
ADL_C-Tilt DB SW 9W L20 827 PW	9 W	2700K	CRI 80+	L20	707 Lm	82 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 827 PW	9 W	2700K	CRI 80+	L20	707 Lm	82 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 827 PB	9 W	2700K	CRI 80+	L20	707 Lm	82 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 827 PB	9 W	2700K	CRI 80+	L20	707 Lm	82 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 830 PW	9 W	3000K	CRI 80+	L20	707 Lm	82 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 830 PW	9 W	3000K	CRI 80+	L20	707 Lm	82 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 830 PB	9 W	3000K	CRI 80+	L20	707 Lm	82 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 830 PB	9 W	3000K	CRI 80+	L20	707 Lm	82 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 835 PW	9 W	3500K	CRI 80+	L20	762 Lm	89 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 835 PW	9 W	3500K	CRI 80+	L20	762 Lm	89 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 835 PB	9 W	3500K	CRI 80+	L20	762 Lm	89 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 835 PB	9 W	3500K	CRI 80+	L20	762 Lm	89 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 840 PW	9 W	4000K	CRI 80+	L20	762 Lm	89 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 840 PW	9 W	4000K	CRI 80+	L20	762 Lm	89 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 840 PB	9 W	4000K	CRI 80+	L20	762 Lm	89 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 840 PB	9 W	4000K	CRI 80+	L20	762 Lm	89 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 927 PW	9 W	2700K	CRI 90+	L20	574 Lm	67 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 927 PW	9 W	2700K	CRI 90+	L20	574 Lm	67 Lm/W	White	Dark Gold	PDF ↗

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 6 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt DB SW 9W L20 927 PB	9 W	2700K	CRI 90+	L20	574 Lm	67 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 927 PB	9 W	2700K	CRI 90+	L20	574 Lm	67 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 930 PW	9 W	3000K	CRI 90+	L20	612 Lm	71 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 930 PW	9 W	3000K	CRI 90+	L20	612 Lm	71 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 930 PB	9 W	3000K	CRI 90+	L20	612 Lm	71 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 930 PB	9 W	3000K	CRI 90+	L20	612 Lm	71 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 935 PW	9 W	3500K	CRI 90+	L20	659 Lm	77 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 935 PW	9 W	3500K	CRI 90+	L20	659 Lm	77 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 935 PB	9 W	3500K	CRI 90+	L20	659 Lm	77 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 935 PB	9 W	3500K	CRI 90+	L20	659 Lm	77 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 940 PW	9 W	4000K	CRI 90+	L20	659 Lm	77 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 940 PW	9 W	4000K	CRI 90+	L20	659 Lm	77 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L20 940 PB	9 W	4000K	CRI 90+	L20	659 Lm	77 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L20 940 PB	9 W	4000K	CRI 90+	L20	659 Lm	77 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 827 PW	9 W	2700K	CRI 80+	L30	601 Lm	70 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 827 PW	9 W	2700K	CRI 80+	L30	601 Lm	70 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 827 PB	9 W	2700K	CRI 80+	L30	601 Lm	70 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 827 PB	9 W	2700K	CRI 80+	L30	601 Lm	70 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 830 PW	9 W	3000K	CRI 80+	L30	601 Lm	70 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 830 PW	9 W	3000K	CRI 80+	L30	601 Lm	70 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 830 PB	9 W	3000K	CRI 80+	L30	601 Lm	70 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 830 PB	9 W	3000K	CRI 80+	L30	601 Lm	70 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 835 PW	9 W	3500K	CRI 80+	L30	648 Lm	75 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 835 PW	9 W	3500K	CRI 80+	L30	648 Lm	75 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 835 PB	9 W	3500K	CRI 80+	L30	648 Lm	75 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 835 PB	9 W	3500K	CRI 80+	L30	648 Lm	75 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 840 PW	9 W	4000K	CRI 80+	L30	648 Lm	75 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 840 PW	9 W	4000K	CRI 80+	L30	648 Lm	75 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 840 PB	9 W	4000K	CRI 80+	L30	648 Lm	75 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 840 PB	9 W	4000K	CRI 80+	L30	648 Lm	75 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 927 PW	9 W	2700K	CRI 90+	L30	488 Lm	57 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 927 PW	9 W	2700K	CRI 90+	L30	488 Lm	57 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 927 PB	9 W	2700K	CRI 90+	L30	488 Lm	57 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 927 PB	9 W	2700K	CRI 90+	L30	488 Lm	57 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 930 PW	9 W	3000K	CRI 90+	L30	521 Lm	61 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 930 PW	9 W	3000K	CRI 90+	L30	521 Lm	61 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 930 PB	9 W	3000K	CRI 90+	L30	521 Lm	61 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 930 PB	9 W	3000K	CRI 90+	L30	521 Lm	61 Lm/W	Black	Dark Gold	PDF ↗

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 7 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt DB SW 9W L30 935 PW	9 W	3500K	CRI 90+	L30	561 Lm	65 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 935 PW	9 W	3500K	CRI 90+	L30	561 Lm	65 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 935 PB	9 W	3500K	CRI 90+	L30	561 Lm	65 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 935 PB	9 W	3500K	CRI 90+	L30	561 Lm	65 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 940 PW	9 W	4000K	CRI 90+	L30	561 Lm	65 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 940 PW	9 W	4000K	CRI 90+	L30	561 Lm	65 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 9W L30 940 PB	9 W	4000K	CRI 90+	L30	561 Lm	65 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 9W L30 940 PB	9 W	4000K	CRI 90+	L30	561 Lm	65 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 827 PW	13 W	2700K	CRI 80+	L20	1038 Lm	86 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 827 PW	13 W	2700K	CRI 80+	L20	1038 Lm	86 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 827 PB	13 W	2700K	CRI 80+	L20	1038 Lm	86 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 827 PB	13 W	2700K	CRI 80+	L20	1038 Lm	86 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 830 PW	13 W	3000K	CRI 80+	L20	1038 Lm	86 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 830 PW	13 W	3000K	CRI 80+	L20	1038 Lm	86 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 830 PB	13 W	3000K	CRI 80+	L20	1038 Lm	86 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 830 PB	13 W	3000K	CRI 80+	L20	1038 Lm	86 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 835 PW	13 W	3500K	CRI 80+	L20	1116 Lm	93 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 835 PW	13 W	3500K	CRI 80+	L20	1116 Lm	93 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 835 PB	13 W	3500K	CRI 80+	L20	1116 Lm	93 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 835 PB	13 W	3500K	CRI 80+	L20	1116 Lm	93 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 840 PW	13 W	4000K	CRI 80+	L20	1116 Lm	93 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 840 PW	13 W	4000K	CRI 80+	L20	1116 Lm	93 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 840 PB	13 W	4000K	CRI 80+	L20	1116 Lm	93 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 840 PB	13 W	4000K	CRI 80+	L20	1116 Lm	93 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 927 PW	13 W	2700K	CRI 90+	L20	842 Lm	70 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 927 PW	13 W	2700K	CRI 90+	L20	842 Lm	70 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 927 PB	13 W	2700K	CRI 90+	L20	842 Lm	70 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 927 PB	13 W	2700K	CRI 90+	L20	842 Lm	70 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 930 PW	13 W	3000K	CRI 90+	L20	900 Lm	75 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 930 PW	13 W	3000K	CRI 90+	L20	900 Lm	75 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 930 PB	13 W	3000K	CRI 90+	L20	900 Lm	75 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 930 PB	13 W	3000K	CRI 90+	L20	900 Lm	75 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 935 PW	13 W	3500K	CRI 90+	L20	900 Lm	75 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 935 PW	13 W	3500K	CRI 90+	L20	900 Lm	75 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 935 PB	13 W	3500K	CRI 90+	L20	900 Lm	75 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 935 PB	13 W	3500K	CRI 90+	L20	900 Lm	75 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L20 940 PW	13 W	4000K	CRI 90+	L20	969 Lm	81 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 940 PW	13 W	4000K	CRI 90+	L20	969 Lm	81 Lm/W	White	Dark Gold	PDF ↗

DOWNLIGHT ADL-C TILT – COMPLETE MODEL DIRECTORY

PAGE 8 OF 8

PART CODE	POWER	CCT	CRI	OPTIC	OUTPUT	EFFICACY	HOUSING	BAFFLE	DATASHEET
ADL_C-Tilt DB SW 13W L20 940 PB	13 W	4000K	CRI 90+	L20	969 Lm	81 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L20 940 PB	13 W	4000K	CRI 90+	L20	969 Lm	81 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 827 PW	13 W	2700K	CRI 80+	L30	883 Lm	74 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 827 PW	13 W	2700K	CRI 80+	L30	883 Lm	74 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 827 PB	13 W	2700K	CRI 80+	L30	883 Lm	74 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 827 PB	13 W	2700K	CRI 80+	L30	883 Lm	74 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 830 PW	13 W	3000K	CRI 80+	L30	883 Lm	74 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 830 PW	13 W	3000K	CRI 80+	L30	883 Lm	74 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 830 PB	13 W	3000K	CRI 80+	L30	883 Lm	74 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 830 PB	13 W	3000K	CRI 80+	L30	883 Lm	74 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 835 PW	13 W	3500K	CRI 80+	L30	950 Lm	79 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 835 PW	13 W	3500K	CRI 80+	L30	950 Lm	79 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 835 PB	13 W	3500K	CRI 80+	L30	950 Lm	79 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 835 PB	13 W	3500K	CRI 80+	L30	950 Lm	79 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 840 PW	13 W	4000K	CRI 80+	L30	950 Lm	79 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 840 PW	13 W	4000K	CRI 80+	L30	950 Lm	79 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 840 PB	13 W	4000K	CRI 80+	L30	950 Lm	79 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 840 PB	13 W	4000K	CRI 80+	L30	950 Lm	79 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 927 PW	13 W	2700K	CRI 90+	L30	716 Lm	60 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 927 PW	13 W	2700K	CRI 90+	L30	716 Lm	60 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 927 PB	13 W	2700K	CRI 90+	L30	716 Lm	60 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 927 PB	13 W	2700K	CRI 90+	L30	716 Lm	60 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 930 PW	13 W	3000K	CRI 90+	L30	766 Lm	64 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 930 PW	13 W	3000K	CRI 90+	L30	766 Lm	64 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 930 PB	13 W	3000K	CRI 90+	L30	766 Lm	64 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 930 PB	13 W	3000K	CRI 90+	L30	766 Lm	64 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 935 PW	13 W	3500K	CRI 90+	L30	766 Lm	64 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 935 PW	13 W	3500K	CRI 90+	L30	766 Lm	64 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 935 PB	13 W	3500K	CRI 90+	L30	766 Lm	64 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 935 PB	13 W	3500K	CRI 90+	L30	766 Lm	64 Lm/W	Black	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 940 PW	13 W	4000K	CRI 90+	L30	824 Lm	69 Lm/W	White	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 940 PW	13 W	4000K	CRI 90+	L30	824 Lm	69 Lm/W	White	Dark Gold	PDF ↗
ADL_C-Tilt DB SW 13W L30 940 PB	13 W	4000K	CRI 90+	L30	824 Lm	69 Lm/W	Black	Dark Black	PDF ↗
ADL_C-Tilt DG SW 13W L30 940 PB	13 W	4000K	CRI 90+	L30	824 Lm	69 Lm/W	Black	Dark Gold	PDF ↗