

ARCHITECTURAL LINEAR TAPE COLLECTION

Architape Pro 70 High-Output Tunable Series

24VDC IP20 MACADAM 3-STEP 5-YEAR WARRANTY CONSTANT VOLTAGE

Architape Pro 70 is our high-output Tunable White architectural tape with 70 LEDs/m. Optimized for primary linear illumination, high coves, and dynamic human-centric lighting schemes with exceptionally high lumen delivery.

POWER RANGE

19.2 W/m – 9.6 W/m

LUMINOUS FLUX

596 lm – 6,885 lm

COLOR FIDELITY

CRI 80+ / 95+

SERVICE LIFETIME

L90B10 > 60kh



ARCHITAPE INDOOR LED TAPE SERIES

TESTED & CERTIFIED UNDER INTERNATIONAL STANDARDS




SCAN TO VIEW SERIES ONLINE

LINEAR ENGINEERING & DIMENSIONS

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES

PHOTOMETRIC DISTRIBUTION

120° BEAM SPREAD



DIMENSIONS & CUTTING PITCH

PITCH: 100 MM



PCB WIDTH & HEIGHT	8.0 x 1.62 mm
CUTTING INCREMENT	100 mm
MAX SINGLE RUN	Up to 12 m
ADHESIVE BACKING	3M 300LSE High-Bond Thermal Tape

ELECTRICAL & SYSTEM SPECS

OPERATING VOLTAGE	24VDC (Constant Voltage)
LED DENSITY	70 LEDs/m (Dual-Die)
COLOR CONSISTENCY	MacAdam 3-Step Ellipse (SDCM ≤ 3)
DIMMING PROTOCOLS	PWM, 0-10V, DALI-2 (DT6/DT8), Casambi
OPERATING TEMP	-25°C to +50°C
MAX CASE TEMP (TC)	Tc max 75°C
INGRESS PROTECTION	IP20
WARRANTY	5-Year System Guarantee

SPECTRAL & FINISH OPTIONS

AVAILABLE CCT	1400K / 1600K, 1400K / 1800K, 1400K / 2000K, 1400K / 2200K, 1400K / 2500K, 1400K / 2700K, 1400K / 3000K, 1400K / 3500K, 1400K / 4000K, 1400K / 5000K, 1400K / 5700K, 1400K / 6500K
COLOUR FIDELITY	CRI90, CRI90 / CRI95, CRI95, CRI95 / CRI90
COPPER WEIGHT	3oz Double-Sided Heavy Copper PCB
LED PACKAGE	Nichia Architectural Grade Phosphor

PART NUMBER DECODING LOGIC

[FAMILY] [CONFIG] [GEN] [POWER] [CCT1/CCT2]

Example: TW70/NN G5 19W 027/040

• TW70: Pro 70 Tunable White • NN: Nichia • G5: Gen 5 • 19W: 19.2 W/m • 027/040: 2700K & 4000K

MOUNTING & THERMAL REQUIREMENTS

HEAT DISSIPATION	Must mount in aluminium extrusion profile
DRIVER TYPE	Independent Class II SELV 24V / 48V
FEED POINTS	Dual-ended feed recommended for > 10m runs
STANDARD REEL	5 metre reel with 200 mm flying leads

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 3 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 09W 027/030	Tunable White	9.6 W/m	2700K / 3000K	CRI95	987 lm	103 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/035	Tunable White	9.6 W/m	2700K / 3500K	CRI95	997 lm	104 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/040	Tunable White	9.6 W/m	2700K / 4000K	CRI95	1004 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T930	Tunable White	9.6 W/m	2700K / 3000K	CRI95 / CRI90	1220 lm	127 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T935	Tunable White	9.6 W/m	2700K / 3500K	CRI95 / CRI90	1239 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T940	Tunable White	9.6 W/m	2700K / 4000K	CRI95 / CRI90	1250 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T950	Tunable White	9.6 W/m	2700K / 5000K	CRI95 / CRI90	1252 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T957	Tunable White	9.6 W/m	2700K / 5700K	CRI95 / CRI90	1225 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T965	Tunable White	9.6 W/m	2700K / 6500K	CRI95 / CRI90	1225 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T970	Tunable White	9.6 W/m	2700K / 7000K	CRI95 / CRI90	1225 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 027/T980	Tunable White	9.6 W/m	2700K / 8000K	CRI95 / CRI90	1225 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/035	Tunable White	9.6 W/m	3000K / 3500K	CRI95	1008 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/040	Tunable White	9.6 W/m	3000K / 4000K	CRI95	1015 lm	106 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T935	Tunable White	9.6 W/m	3000K / 3500K	CRI95 / CRI90	1250 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T940	Tunable White	9.6 W/m	3000K / 4000K	CRI95 / CRI90	1261 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T950	Tunable White	9.6 W/m	3000K / 5000K	CRI95 / CRI90	1263 lm	132 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T957	Tunable White	9.6 W/m	3000K / 5700K	CRI95 / CRI90	1236 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T965	Tunable White	9.6 W/m	3000K / 6500K	CRI95 / CRI90	1236 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T970	Tunable White	9.6 W/m	3000K / 7000K	CRI95 / CRI90	1236 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 030/T980	Tunable White	9.6 W/m	3000K / 8000K	CRI95 / CRI90	1236 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/040	Tunable White	9.6 W/m	3500K / 4000K	CRI95	1025 lm	107 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T940	Tunable White	9.6 W/m	3500K / 4000K	CRI95 / CRI90	1271 lm	132 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T950	Tunable White	9.6 W/m	3500K / 5000K	CRI95 / CRI90	1273 lm	133 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T957	Tunable White	9.6 W/m	3500K / 5700K	CRI95 / CRI90	1246 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T965	Tunable White	9.6 W/m	3500K / 6500K	CRI95 / CRI90	1246 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T970	Tunable White	9.6 W/m	3500K / 7000K	CRI95 / CRI90	1246 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 035/T980	Tunable White	9.6 W/m	3500K / 8000K	CRI95 / CRI90	1246 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 040/T950	Tunable White	9.6 W/m	4000K / 5000K	CRI95 / CRI90	1280 lm	133 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 040/T957	Tunable White	9.6 W/m	4000K / 5700K	CRI95 / CRI90	1253 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 040/T965	Tunable White	9.6 W/m	4000K / 6500K	CRI95 / CRI90	1253 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 040/T970	Tunable White	9.6 W/m	4000K / 7000K	CRI95 / CRI90	1253 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 040/T980	Tunable White	9.6 W/m	4000K / 8000K	CRI95 / CRI90	1253 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/027	Tunable White	9.6 W/m	1400K / 2700K	CRI90 / CRI95	758 lm	79 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/030	Tunable White	9.6 W/m	1400K / 3000K	CRI90 / CRI95	769 lm	80 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/035	Tunable White	9.6 W/m	1400K / 3500K	CRI90 / CRI95	779 lm	81 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/040	Tunable White	9.6 W/m	1400K / 4000K	CRI90 / CRI95	786 lm	82 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/916	Tunable White	9.6 W/m	1400K / 1600K	CRI90	596 lm	62 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/918	Tunable White	9.6 W/m	1400K / 1800K	CRI90	670 lm	70 Lm/W	100 mm	9 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 4 OF
20

ARCHITAPE INDOOR LED TAPE SERIES

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 09W 914/920	Tunable White	9.6 W/m	1400K / 2000K	CRI90	692 lm	72 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/922	Tunable White	9.6 W/m	1400K / 2200K	CRI90	726 lm	76 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/925	Tunable White	9.6 W/m	1400K / 2500K	CRI90	765 lm	80 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T927	Tunable White	9.6 W/m	1400K / 2700K	CRI90	967 lm	101 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T930	Tunable White	9.6 W/m	1400K / 3000K	CRI90	1002 lm	104 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T935	Tunable White	9.6 W/m	1400K / 3500K	CRI90	1021 lm	106 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T940	Tunable White	9.6 W/m	1400K / 4000K	CRI90	1032 lm	108 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T950	Tunable White	9.6 W/m	1400K / 5000K	CRI90	1034 lm	108 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T957	Tunable White	9.6 W/m	1400K / 5700K	CRI90	1007 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T965	Tunable White	9.6 W/m	1400K / 6500K	CRI90	1007 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T970	Tunable White	9.6 W/m	1400K / 7000K	CRI90	1007 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 914/T980	Tunable White	9.6 W/m	1400K / 8000K	CRI90	1007 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/027	Tunable White	9.6 W/m	1600K / 2700K	CRI90 / CRI95	814 lm	85 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/030	Tunable White	9.6 W/m	1600K / 3000K	CRI90 / CRI95	825 lm	86 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/035	Tunable White	9.6 W/m	1600K / 3500K	CRI90 / CRI95	835 lm	87 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/040	Tunable White	9.6 W/m	1600K / 4000K	CRI90 / CRI95	842 lm	88 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/918	Tunable White	9.6 W/m	1600K / 1800K	CRI90	726 lm	76 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/920	Tunable White	9.6 W/m	1600K / 2000K	CRI90	748 lm	78 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/922	Tunable White	9.6 W/m	1600K / 2200K	CRI90	782 lm	81 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/925	Tunable White	9.6 W/m	1600K / 2500K	CRI90	821 lm	86 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T927	Tunable White	9.6 W/m	1600K / 2700K	CRI90	1023 lm	107 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T930	Tunable White	9.6 W/m	1600K / 3000K	CRI90	1058 lm	110 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T935	Tunable White	9.6 W/m	1600K / 3500K	CRI90	1077 lm	112 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T940	Tunable White	9.6 W/m	1600K / 4000K	CRI90	1088 lm	113 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T950	Tunable White	9.6 W/m	1600K / 5000K	CRI90	1090 lm	114 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T957	Tunable White	9.6 W/m	1600K / 5700K	CRI90	1063 lm	111 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T965	Tunable White	9.6 W/m	1600K / 6500K	CRI90	1063 lm	111 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T970	Tunable White	9.6 W/m	1600K / 7000K	CRI90	1063 lm	111 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 916/T980	Tunable White	9.6 W/m	1600K / 8000K	CRI90	1063 lm	111 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/027	Tunable White	9.6 W/m	1800K / 2700K	CRI90 / CRI95	888 lm	93 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/030	Tunable White	9.6 W/m	1800K / 3000K	CRI90 / CRI95	899 lm	94 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/035	Tunable White	9.6 W/m	1800K / 3500K	CRI90 / CRI95	909 lm	95 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/040	Tunable White	9.6 W/m	1800K / 4000K	CRI90 / CRI95	916 lm	95 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/920	Tunable White	9.6 W/m	1800K / 2000K	CRI90	822 lm	86 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/922	Tunable White	9.6 W/m	1800K / 2200K	CRI90	856 lm	89 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/925	Tunable White	9.6 W/m	1800K / 2500K	CRI90	895 lm	93 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T927	Tunable White	9.6 W/m	1800K / 2700K	CRI90	1097 lm	114 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T930	Tunable White	9.6 W/m	1800K / 3000K	CRI90	1132 lm	118 Lm/W	100 mm	9 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 5 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 09W 918/T935	Tunable White	9.6 W/m	1800K / 3500K	CRI90	1151 lm	120 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T940	Tunable White	9.6 W/m	1800K / 4000K	CRI90	1162 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T950	Tunable White	9.6 W/m	1800K / 5000K	CRI90	1164 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T957	Tunable White	9.6 W/m	1800K / 5700K	CRI90	1137 lm	118 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T965	Tunable White	9.6 W/m	1800K / 6500K	CRI90	1137 lm	118 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T970	Tunable White	9.6 W/m	1800K / 7000K	CRI90	1137 lm	118 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 918/T980	Tunable White	9.6 W/m	1800K / 8000K	CRI90	1137 lm	118 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/027	Tunable White	9.6 W/m	2000K / 2700K	CRI90 / CRI95	910 lm	95 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/030	Tunable White	9.6 W/m	2000K / 3000K	CRI90 / CRI95	921 lm	96 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/035	Tunable White	9.6 W/m	2000K / 3500K	CRI90 / CRI95	931 lm	97 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/040	Tunable White	9.6 W/m	2000K / 4000K	CRI90 / CRI95	938 lm	98 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/922	Tunable White	9.6 W/m	2000K / 2200K	CRI90	878 lm	91 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/925	Tunable White	9.6 W/m	2000K / 2500K	CRI90	917 lm	96 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T927	Tunable White	9.6 W/m	2000K / 2700K	CRI90	1119 lm	117 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T930	Tunable White	9.6 W/m	2000K / 3000K	CRI90	1154 lm	120 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T935	Tunable White	9.6 W/m	2000K / 3500K	CRI90	1173 lm	122 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T940	Tunable White	9.6 W/m	2000K / 4000K	CRI90	1184 lm	123 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T950	Tunable White	9.6 W/m	2000K / 5000K	CRI90	1186 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T957	Tunable White	9.6 W/m	2000K / 5700K	CRI90	1159 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T965	Tunable White	9.6 W/m	2000K / 6500K	CRI90	1159 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T970	Tunable White	9.6 W/m	2000K / 7000K	CRI90	1159 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 920/T980	Tunable White	9.6 W/m	2000K / 8000K	CRI90	1159 lm	121 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/027	Tunable White	9.6 W/m	2200K / 2700K	CRI90 / CRI95	944 lm	98 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/030	Tunable White	9.6 W/m	2200K / 3000K	CRI90 / CRI95	955 lm	99 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/035	Tunable White	9.6 W/m	2200K / 3500K	CRI90 / CRI95	965 lm	101 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/040	Tunable White	9.6 W/m	2200K / 4000K	CRI90 / CRI95	972 lm	101 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/925	Tunable White	9.6 W/m	2200K / 2500K	CRI90	951 lm	99 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T927	Tunable White	9.6 W/m	2200K / 2700K	CRI90	1153 lm	120 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T930	Tunable White	9.6 W/m	2200K / 3000K	CRI90	1188 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T935	Tunable White	9.6 W/m	2200K / 3500K	CRI90	1207 lm	126 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T940	Tunable White	9.6 W/m	2200K / 4000K	CRI90	1218 lm	127 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T950	Tunable White	9.6 W/m	2200K / 5000K	CRI90	1220 lm	127 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T957	Tunable White	9.6 W/m	2200K / 5700K	CRI90	1193 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T965	Tunable White	9.6 W/m	2200K / 6500K	CRI90	1193 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T970	Tunable White	9.6 W/m	2200K / 7000K	CRI90	1193 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 922/T980	Tunable White	9.6 W/m	2200K / 8000K	CRI90	1193 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/027	Tunable White	9.6 W/m	2500K / 2700K	CRI90 / CRI95	983 lm	102 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/030	Tunable White	9.6 W/m	2500K / 3000K	CRI90 / CRI95	994 lm	104 Lm/W	100 mm	9 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 6 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 09W 925/035	Tunable White	9.6 W/m	2500K / 3500K	CRI90 / CRI95	1004 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/040	Tunable White	9.6 W/m	2500K / 4000K	CRI90 / CRI95	1011 lm	105 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T927	Tunable White	9.6 W/m	2500K / 2700K	CRI90	1192 lm	124 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T930	Tunable White	9.6 W/m	2500K / 3000K	CRI90	1227 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T935	Tunable White	9.6 W/m	2500K / 3500K	CRI90	1246 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T940	Tunable White	9.6 W/m	2500K / 4000K	CRI90	1257 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T950	Tunable White	9.6 W/m	2500K / 5000K	CRI90	1259 lm	131 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T957	Tunable White	9.6 W/m	2500K / 5700K	CRI90	1232 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T965	Tunable White	9.6 W/m	2500K / 6500K	CRI90	1232 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T970	Tunable White	9.6 W/m	2500K / 7000K	CRI90	1232 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W 925/T980	Tunable White	9.6 W/m	2500K / 8000K	CRI90	1232 lm	128 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/030	Tunable White	9.6 W/m	2700K / 3000K	CRI90 / CRI95	1196 lm	125 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/035	Tunable White	9.6 W/m	2700K / 3500K	CRI90 / CRI95	1206 lm	126 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/040	Tunable White	9.6 W/m	2700K / 4000K	CRI90 / CRI95	1213 lm	126 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T930	Tunable White	9.6 W/m	2700K / 3000K	CRI90	1429 lm	149 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T935	Tunable White	9.6 W/m	2700K / 3500K	CRI90	1448 lm	151 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T940	Tunable White	9.6 W/m	2700K / 4000K	CRI90	1459 lm	152 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T950	Tunable White	9.6 W/m	2700K / 5000K	CRI90	1461 lm	152 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T957	Tunable White	9.6 W/m	2700K / 5700K	CRI90	1434 lm	149 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T965	Tunable White	9.6 W/m	2700K / 6500K	CRI90	1434 lm	149 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T970	Tunable White	9.6 W/m	2700K / 7000K	CRI90	1434 lm	149 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T927/T980	Tunable White	9.6 W/m	2700K / 8000K	CRI90	1434 lm	149 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/035	Tunable White	9.6 W/m	3000K / 3500K	CRI90 / CRI95	1241 lm	129 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/040	Tunable White	9.6 W/m	3000K / 4000K	CRI90 / CRI95	1248 lm	130 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T935	Tunable White	9.6 W/m	3000K / 3500K	CRI90	1483 lm	154 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T940	Tunable White	9.6 W/m	3000K / 4000K	CRI90	1494 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T950	Tunable White	9.6 W/m	3000K / 5000K	CRI90	1496 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T957	Tunable White	9.6 W/m	3000K / 5700K	CRI90	1469 lm	153 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T965	Tunable White	9.6 W/m	3000K / 6500K	CRI90	1469 lm	153 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T970	Tunable White	9.6 W/m	3000K / 7000K	CRI90	1469 lm	153 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T930/T980	Tunable White	9.6 W/m	3000K / 8000K	CRI90	1469 lm	153 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/040	Tunable White	9.6 W/m	3500K / 4000K	CRI90 / CRI95	1267 lm	132 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T940	Tunable White	9.6 W/m	3500K / 4000K	CRI90	1513 lm	158 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T950	Tunable White	9.6 W/m	3500K / 5000K	CRI90	1515 lm	158 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T957	Tunable White	9.6 W/m	3500K / 5700K	CRI90	1488 lm	155 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T965	Tunable White	9.6 W/m	3500K / 6500K	CRI90	1488 lm	155 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T970	Tunable White	9.6 W/m	3500K / 7000K	CRI90	1488 lm	155 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T935/T980	Tunable White	9.6 W/m	3500K / 8000K	CRI90	1488 lm	155 Lm/W	100 mm	9 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 7 OF
20

ARCHITAPE INDOOR LED TAPE SERIES

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 09W T940/T950	Tunable White	9.6 W/m	4000K / 5000K	CRI90	1526 lm	159 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T940/T957	Tunable White	9.6 W/m	4000K / 5700K	CRI90	1499 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T940/T965	Tunable White	9.6 W/m	4000K / 6500K	CRI90	1499 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T940/T970	Tunable White	9.6 W/m	4000K / 7000K	CRI90	1499 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T940/T980	Tunable White	9.6 W/m	4000K / 8000K	CRI90	1499 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T950/T957	Tunable White	9.6 W/m	5000K / 5700K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T950/T965	Tunable White	9.6 W/m	5000K / 6500K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T950/T970	Tunable White	9.6 W/m	5000K / 7000K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T950/T980	Tunable White	9.6 W/m	5000K / 8000K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T957/T965	Tunable White	9.6 W/m	5700K / 6500K	CRI90	1474 lm	154 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T957/T970	Tunable White	9.6 W/m	5700K / 7000K	CRI90	1474 lm	154 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T957/T980	Tunable White	9.6 W/m	5700K / 8000K	CRI90	1474 lm	154 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T965/T970	Tunable White	9.6 W/m	6500K / 7000K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T965/T980	Tunable White	9.6 W/m	6500K / 8000K	CRI90	1501 lm	156 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 09W T970/T980	Tunable White	9.6 W/m	7000K / 8000K	CRI90	1474 lm	154 Lm/W	100 mm	9 m	PDF ↗
TW70/NN G5 19W 027/030	Tunable White	19.2 W/m	2700K / 3000K	CRI95	1940 lm	101 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/035	Tunable White	19.2 W/m	2700K / 3500K	CRI95	1961 lm	102 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/040	Tunable White	19.2 W/m	2700K / 4000K	CRI95	1973 lm	103 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T930	Tunable White	19.2 W/m	2700K / 3000K	CRI95 / CRI90	2403 lm	125 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T935	Tunable White	19.2 W/m	2700K / 3500K	CRI95 / CRI90	2440 lm	127 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T940	Tunable White	19.2 W/m	2700K / 4000K	CRI95 / CRI90	2461 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T950	Tunable White	19.2 W/m	2700K / 5000K	CRI95 / CRI90	2468 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T957	Tunable White	19.2 W/m	2700K / 5700K	CRI95 / CRI90	2415 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T965	Tunable White	19.2 W/m	2700K / 6500K	CRI95 / CRI90	2415 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T970	Tunable White	19.2 W/m	2700K / 7000K	CRI95 / CRI90	2415 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 027/T980	Tunable White	19.2 W/m	2700K / 8000K	CRI95 / CRI90	2415 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/035	Tunable White	19.2 W/m	3000K / 3500K	CRI95	1983 lm	103 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/040	Tunable White	19.2 W/m	3000K / 4000K	CRI95	1995 lm	104 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T935	Tunable White	19.2 W/m	3000K / 3500K	CRI95 / CRI90	2462 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T940	Tunable White	19.2 W/m	3000K / 4000K	CRI95 / CRI90	2483 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T950	Tunable White	19.2 W/m	3000K / 5000K	CRI95 / CRI90	2490 lm	130 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T957	Tunable White	19.2 W/m	3000K / 5700K	CRI95 / CRI90	2437 lm	127 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T965	Tunable White	19.2 W/m	3000K / 6500K	CRI95 / CRI90	2437 lm	127 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T970	Tunable White	19.2 W/m	3000K / 7000K	CRI95 / CRI90	2437 lm	127 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 030/T980	Tunable White	19.2 W/m	3000K / 8000K	CRI95 / CRI90	2437 lm	127 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/040	Tunable White	19.2 W/m	3500K / 4000K	CRI95	2016 lm	105 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/T940	Tunable White	19.2 W/m	3500K / 4000K	CRI95 / CRI90	2504 lm	130 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/T950	Tunable White	19.2 W/m	3500K / 5000K	CRI95 / CRI90	2511 lm	131 Lm/W	100 mm	5.5 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 8 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 19W 035/T957	Tunable White	19.2 W/m	3500K / 5700K	CRI95 / CRI90	2458 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/T965	Tunable White	19.2 W/m	3500K / 6500K	CRI95 / CRI90	2458 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/T970	Tunable White	19.2 W/m	3500K / 7000K	CRI95 / CRI90	2458 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 035/T980	Tunable White	19.2 W/m	3500K / 8000K	CRI95 / CRI90	2458 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 040/T950	Tunable White	19.2 W/m	4000K / 5000K	CRI95 / CRI90	2523 lm	131 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 040/T957	Tunable White	19.2 W/m	4000K / 5700K	CRI95 / CRI90	2470 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 040/T965	Tunable White	19.2 W/m	4000K / 6500K	CRI95 / CRI90	2470 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 040/T970	Tunable White	19.2 W/m	4000K / 7000K	CRI95 / CRI90	2470 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 040/T980	Tunable White	19.2 W/m	4000K / 8000K	CRI95 / CRI90	2470 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/027	Tunable White	19.2 W/m	1400K / 2700K	CRI90 / CRI95	1492 lm	78 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/030	Tunable White	19.2 W/m	1400K / 3000K	CRI90 / CRI95	1514 lm	79 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/035	Tunable White	19.2 W/m	1400K / 3500K	CRI90 / CRI95	1535 lm	80 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/040	Tunable White	19.2 W/m	1400K / 4000K	CRI90 / CRI95	1547 lm	81 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/916	Tunable White	19.2 W/m	1400K / 1600K	CRI90	1176 lm	61 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/918	Tunable White	19.2 W/m	1400K / 1800K	CRI90	1323 lm	69 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/920	Tunable White	19.2 W/m	1400K / 2000K	CRI90	1360 lm	71 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/922	Tunable White	19.2 W/m	1400K / 2200K	CRI90	1428 lm	74 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/925	Tunable White	19.2 W/m	1400K / 2500K	CRI90	1504 lm	78 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T927	Tunable White	19.2 W/m	1400K / 2700K	CRI90	1907 lm	99 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T930	Tunable White	19.2 W/m	1400K / 3000K	CRI90	1977 lm	103 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T935	Tunable White	19.2 W/m	1400K / 3500K	CRI90	2014 lm	105 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T940	Tunable White	19.2 W/m	1400K / 4000K	CRI90	2035 lm	106 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T950	Tunable White	19.2 W/m	1400K / 5000K	CRI90	2042 lm	106 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T957	Tunable White	19.2 W/m	1400K / 5700K	CRI90	1989 lm	104 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T965	Tunable White	19.2 W/m	1400K / 6500K	CRI90	1989 lm	104 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T970	Tunable White	19.2 W/m	1400K / 7000K	CRI90	1989 lm	104 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 914/T980	Tunable White	19.2 W/m	1400K / 8000K	CRI90	1989 lm	104 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/027	Tunable White	19.2 W/m	1600K / 2700K	CRI90 / CRI95	1602 lm	83 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/030	Tunable White	19.2 W/m	1600K / 3000K	CRI90 / CRI95	1624 lm	85 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/035	Tunable White	19.2 W/m	1600K / 3500K	CRI90 / CRI95	1645 lm	86 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/040	Tunable White	19.2 W/m	1600K / 4000K	CRI90 / CRI95	1657 lm	86 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/918	Tunable White	19.2 W/m	1600K / 1800K	CRI90	1433 lm	75 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/920	Tunable White	19.2 W/m	1600K / 2000K	CRI90	1470 lm	77 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/922	Tunable White	19.2 W/m	1600K / 2200K	CRI90	1538 lm	80 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/925	Tunable White	19.2 W/m	1600K / 2500K	CRI90	1614 lm	84 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T927	Tunable White	19.2 W/m	1600K / 2700K	CRI90	2017 lm	105 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T930	Tunable White	19.2 W/m	1600K / 3000K	CRI90	2087 lm	109 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T935	Tunable White	19.2 W/m	1600K / 3500K	CRI90	2124 lm	111 Lm/W	100 mm	5.5 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 9 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 19W 916/T940	Tunable White	19.2 W/m	1600K / 4000K	CRI90	2145 lm	112 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T950	Tunable White	19.2 W/m	1600K / 5000K	CRI90	2152 lm	112 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T957	Tunable White	19.2 W/m	1600K / 5700K	CRI90	2099 lm	109 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T965	Tunable White	19.2 W/m	1600K / 6500K	CRI90	2099 lm	109 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T970	Tunable White	19.2 W/m	1600K / 7000K	CRI90	2099 lm	109 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 916/T980	Tunable White	19.2 W/m	1600K / 8000K	CRI90	2099 lm	109 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/027	Tunable White	19.2 W/m	1800K / 2700K	CRI90 / CRI95	1749 lm	91 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/030	Tunable White	19.2 W/m	1800K / 3000K	CRI90 / CRI95	1771 lm	92 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/035	Tunable White	19.2 W/m	1800K / 3500K	CRI90 / CRI95	1792 lm	93 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/040	Tunable White	19.2 W/m	1800K / 4000K	CRI90 / CRI95	1804 lm	94 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/920	Tunable White	19.2 W/m	1800K / 2000K	CRI90	1617 lm	84 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/922	Tunable White	19.2 W/m	1800K / 2200K	CRI90	1685 lm	88 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/925	Tunable White	19.2 W/m	1800K / 2500K	CRI90	1761 lm	92 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T927	Tunable White	19.2 W/m	1800K / 2700K	CRI90	2164 lm	113 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T930	Tunable White	19.2 W/m	1800K / 3000K	CRI90	2234 lm	116 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T935	Tunable White	19.2 W/m	1800K / 3500K	CRI90	2271 lm	118 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T940	Tunable White	19.2 W/m	1800K / 4000K	CRI90	2292 lm	119 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T950	Tunable White	19.2 W/m	1800K / 5000K	CRI90	2299 lm	120 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T957	Tunable White	19.2 W/m	1800K / 5700K	CRI90	2246 lm	117 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T965	Tunable White	19.2 W/m	1800K / 6500K	CRI90	2246 lm	117 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T970	Tunable White	19.2 W/m	1800K / 7000K	CRI90	2246 lm	117 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 918/T980	Tunable White	19.2 W/m	1800K / 8000K	CRI90	2246 lm	117 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/027	Tunable White	19.2 W/m	2000K / 2700K	CRI90 / CRI95	1786 lm	93 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/030	Tunable White	19.2 W/m	2000K / 3000K	CRI90 / CRI95	1808 lm	94 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/035	Tunable White	19.2 W/m	2000K / 3500K	CRI90 / CRI95	1829 lm	95 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/040	Tunable White	19.2 W/m	2000K / 4000K	CRI90 / CRI95	1841 lm	96 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/922	Tunable White	19.2 W/m	2000K / 2200K	CRI90	1722 lm	90 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/925	Tunable White	19.2 W/m	2000K / 2500K	CRI90	1798 lm	94 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T927	Tunable White	19.2 W/m	2000K / 2700K	CRI90	2201 lm	115 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T930	Tunable White	19.2 W/m	2000K / 3000K	CRI90	2271 lm	118 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T935	Tunable White	19.2 W/m	2000K / 3500K	CRI90	2308 lm	120 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T940	Tunable White	19.2 W/m	2000K / 4000K	CRI90	2329 lm	121 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T950	Tunable White	19.2 W/m	2000K / 5000K	CRI90	2336 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T957	Tunable White	19.2 W/m	2000K / 5700K	CRI90	2283 lm	119 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T965	Tunable White	19.2 W/m	2000K / 6500K	CRI90	2283 lm	119 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T970	Tunable White	19.2 W/m	2000K / 7000K	CRI90	2283 lm	119 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 920/T980	Tunable White	19.2 W/m	2000K / 8000K	CRI90	2283 lm	119 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/027	Tunable White	19.2 W/m	2200K / 2700K	CRI90 / CRI95	1854 lm	97 Lm/W	100 mm	5.5 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 10 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 19W 922/030	Tunable White	19.2 W/m	2200K / 3000K	CRI90 / CRI95	1876 lm	98 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/035	Tunable White	19.2 W/m	2200K / 3500K	CRI90 / CRI95	1897 lm	99 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/040	Tunable White	19.2 W/m	2200K / 4000K	CRI90 / CRI95	1909 lm	99 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/925	Tunable White	19.2 W/m	2200K / 2500K	CRI90	1866 lm	97 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T927	Tunable White	19.2 W/m	2200K / 2700K	CRI90	2269 lm	118 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T930	Tunable White	19.2 W/m	2200K / 3000K	CRI90	2339 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T935	Tunable White	19.2 W/m	2200K / 3500K	CRI90	2376 lm	124 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T940	Tunable White	19.2 W/m	2200K / 4000K	CRI90	2397 lm	125 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T950	Tunable White	19.2 W/m	2200K / 5000K	CRI90	2404 lm	125 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T957	Tunable White	19.2 W/m	2200K / 5700K	CRI90	2351 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T965	Tunable White	19.2 W/m	2200K / 6500K	CRI90	2351 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T970	Tunable White	19.2 W/m	2200K / 7000K	CRI90	2351 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 922/T980	Tunable White	19.2 W/m	2200K / 8000K	CRI90	2351 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/027	Tunable White	19.2 W/m	2500K / 2700K	CRI90 / CRI95	1930 lm	101 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/030	Tunable White	19.2 W/m	2500K / 3000K	CRI90 / CRI95	1952 lm	102 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/035	Tunable White	19.2 W/m	2500K / 3500K	CRI90 / CRI95	1973 lm	103 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/040	Tunable White	19.2 W/m	2500K / 4000K	CRI90 / CRI95	1985 lm	103 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T927	Tunable White	19.2 W/m	2500K / 2700K	CRI90	2345 lm	122 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T930	Tunable White	19.2 W/m	2500K / 3000K	CRI90	2415 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T935	Tunable White	19.2 W/m	2500K / 3500K	CRI90	2452 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T940	Tunable White	19.2 W/m	2500K / 4000K	CRI90	2473 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T950	Tunable White	19.2 W/m	2500K / 5000K	CRI90	2480 lm	129 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T957	Tunable White	19.2 W/m	2500K / 5700K	CRI90	2427 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T965	Tunable White	19.2 W/m	2500K / 6500K	CRI90	2427 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T970	Tunable White	19.2 W/m	2500K / 7000K	CRI90	2427 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W 925/T980	Tunable White	19.2 W/m	2500K / 8000K	CRI90	2427 lm	126 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/030	Tunable White	19.2 W/m	2700K / 3000K	CRI90 / CRI95	2355 lm	123 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/035	Tunable White	19.2 W/m	2700K / 3500K	CRI90 / CRI95	2376 lm	124 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/040	Tunable White	19.2 W/m	2700K / 4000K	CRI90 / CRI95	2388 lm	124 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T930	Tunable White	19.2 W/m	2700K / 3000K	CRI90	2818 lm	147 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T935	Tunable White	19.2 W/m	2700K / 3500K	CRI90	2855 lm	149 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T940	Tunable White	19.2 W/m	2700K / 4000K	CRI90	2876 lm	150 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T950	Tunable White	19.2 W/m	2700K / 5000K	CRI90	2883 lm	150 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T957	Tunable White	19.2 W/m	2700K / 5700K	CRI90	2830 lm	147 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T965	Tunable White	19.2 W/m	2700K / 6500K	CRI90	2830 lm	147 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T970	Tunable White	19.2 W/m	2700K / 7000K	CRI90	2830 lm	147 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T927/T980	Tunable White	19.2 W/m	2700K / 8000K	CRI90	2830 lm	147 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/035	Tunable White	19.2 W/m	3000K / 3500K	CRI90 / CRI95	2446 lm	127 Lm/W	100 mm	5.5 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 11 OF
20

ARCHITAPE INDOOR LED TAPE SERIES

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 19W T930/040	Tunable White	19.2 W/m	3000K / 4000K	CRI90 / CRI95	2458 lm	128 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T935	Tunable White	19.2 W/m	3000K / 3500K	CRI90	2925 lm	152 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T940	Tunable White	19.2 W/m	3000K / 4000K	CRI90	2946 lm	153 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T950	Tunable White	19.2 W/m	3000K / 5000K	CRI90	2953 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T957	Tunable White	19.2 W/m	3000K / 5700K	CRI90	2900 lm	151 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T965	Tunable White	19.2 W/m	3000K / 6500K	CRI90	2900 lm	151 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T970	Tunable White	19.2 W/m	3000K / 7000K	CRI90	2900 lm	151 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T930/T980	Tunable White	19.2 W/m	3000K / 8000K	CRI90	2900 lm	151 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/040	Tunable White	19.2 W/m	3500K / 4000K	CRI90 / CRI95	2495 lm	130 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T940	Tunable White	19.2 W/m	3500K / 4000K	CRI90	2983 lm	155 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T950	Tunable White	19.2 W/m	3500K / 5000K	CRI90	2990 lm	156 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T957	Tunable White	19.2 W/m	3500K / 5700K	CRI90	2937 lm	153 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T965	Tunable White	19.2 W/m	3500K / 6500K	CRI90	2937 lm	153 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T970	Tunable White	19.2 W/m	3500K / 7000K	CRI90	2937 lm	153 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T935/T980	Tunable White	19.2 W/m	3500K / 8000K	CRI90	2937 lm	153 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T940/T950	Tunable White	19.2 W/m	4000K / 5000K	CRI90	3011 lm	157 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T940/T957	Tunable White	19.2 W/m	4000K / 5700K	CRI90	2958 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T940/T965	Tunable White	19.2 W/m	4000K / 6500K	CRI90	2958 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T940/T970	Tunable White	19.2 W/m	4000K / 7000K	CRI90	2958 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T940/T980	Tunable White	19.2 W/m	4000K / 8000K	CRI90	2958 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T950/T957	Tunable White	19.2 W/m	5000K / 5700K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T950/T965	Tunable White	19.2 W/m	5000K / 6500K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T950/T970	Tunable White	19.2 W/m	5000K / 7000K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T950/T980	Tunable White	19.2 W/m	5000K / 8000K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T957/T965	Tunable White	19.2 W/m	5700K / 6500K	CRI90	2912 lm	152 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T957/T970	Tunable White	19.2 W/m	5700K / 7000K	CRI90	2912 lm	152 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T957/T980	Tunable White	19.2 W/m	5700K / 8000K	CRI90	2912 lm	152 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T965/T970	Tunable White	19.2 W/m	6500K / 7000K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T965/T980	Tunable White	19.2 W/m	6500K / 8000K	CRI90	2965 lm	154 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 19W T970/T980	Tunable White	19.2 W/m	7000K / 8000K	CRI90	2912 lm	152 Lm/W	100 mm	5.5 m	PDF ↗
TW70/NN G5 33W 027/030	Tunable White	33.6 W/m	2700K / 3000K	CRI95	3292 lm	98 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/035	Tunable White	33.6 W/m	2700K / 3500K	CRI95	3328 lm	99 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/040	Tunable White	33.6 W/m	2700K / 4000K	CRI95	3349 lm	100 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T930	Tunable White	33.6 W/m	2700K / 3000K	CRI95 / CRI90	4101 lm	122 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T935	Tunable White	33.6 W/m	2700K / 3500K	CRI95 / CRI90	4164 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T940	Tunable White	33.6 W/m	2700K / 4000K	CRI95 / CRI90	4199 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T950	Tunable White	33.6 W/m	2700K / 5000K	CRI95 / CRI90	4217 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T957	Tunable White	33.6 W/m	2700K / 5700K	CRI95 / CRI90	4126 lm	123 Lm/W	100 mm	3 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 12 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 33W 027/T965	Tunable White	33.6 W/m	2700K / 6500K	CRI95 / CRI90	4126 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T970	Tunable White	33.6 W/m	2700K / 7000K	CRI95 / CRI90	4126 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 027/T980	Tunable White	33.6 W/m	2700K / 8000K	CRI95 / CRI90	4126 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/035	Tunable White	33.6 W/m	3000K / 3500K	CRI95	3364 lm	100 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/040	Tunable White	33.6 W/m	3000K / 4000K	CRI95	3385 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T935	Tunable White	33.6 W/m	3000K / 3500K	CRI95 / CRI90	4200 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T940	Tunable White	33.6 W/m	3000K / 4000K	CRI95 / CRI90	4235 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T950	Tunable White	33.6 W/m	3000K / 5000K	CRI95 / CRI90	4253 lm	127 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T957	Tunable White	33.6 W/m	3000K / 5700K	CRI95 / CRI90	4162 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T965	Tunable White	33.6 W/m	3000K / 6500K	CRI95 / CRI90	4162 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T970	Tunable White	33.6 W/m	3000K / 7000K	CRI95 / CRI90	4162 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 030/T980	Tunable White	33.6 W/m	3000K / 8000K	CRI95 / CRI90	4162 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/040	Tunable White	33.6 W/m	3500K / 4000K	CRI95	3421 lm	102 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T940	Tunable White	33.6 W/m	3500K / 4000K	CRI95 / CRI90	4271 lm	127 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T950	Tunable White	33.6 W/m	3500K / 5000K	CRI95 / CRI90	4289 lm	128 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T957	Tunable White	33.6 W/m	3500K / 5700K	CRI95 / CRI90	4198 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T965	Tunable White	33.6 W/m	3500K / 6500K	CRI95 / CRI90	4198 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T970	Tunable White	33.6 W/m	3500K / 7000K	CRI95 / CRI90	4198 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 035/T980	Tunable White	33.6 W/m	3500K / 8000K	CRI95 / CRI90	4198 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 040/T950	Tunable White	33.6 W/m	4000K / 5000K	CRI95 / CRI90	4310 lm	128 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 040/T957	Tunable White	33.6 W/m	4000K / 5700K	CRI95 / CRI90	4219 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 040/T965	Tunable White	33.6 W/m	4000K / 6500K	CRI95 / CRI90	4219 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 040/T970	Tunable White	33.6 W/m	4000K / 7000K	CRI95 / CRI90	4219 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 040/T980	Tunable White	33.6 W/m	4000K / 8000K	CRI95 / CRI90	4219 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/027	Tunable White	33.6 W/m	1400K / 2700K	CRI90 / CRI95	2535 lm	75 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/030	Tunable White	33.6 W/m	1400K / 3000K	CRI90 / CRI95	2571 lm	77 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/035	Tunable White	33.6 W/m	1400K / 3500K	CRI90 / CRI95	2607 lm	78 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/040	Tunable White	33.6 W/m	1400K / 4000K	CRI90 / CRI95	2628 lm	78 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/916	Tunable White	33.6 W/m	1400K / 1600K	CRI90	1777 lm	53 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/918	Tunable White	33.6 W/m	1400K / 1800K	CRI90	2251 lm	67 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/920	Tunable White	33.6 W/m	1400K / 2000K	CRI90	2310 lm	69 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/922	Tunable White	33.6 W/m	1400K / 2200K	CRI90	2424 lm	72 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/925	Tunable White	33.6 W/m	1400K / 2500K	CRI90	2553 lm	76 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T927	Tunable White	33.6 W/m	1400K / 2700K	CRI90	3261 lm	97 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T930	Tunable White	33.6 W/m	1400K / 3000K	CRI90	3380 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T935	Tunable White	33.6 W/m	1400K / 3500K	CRI90	3443 lm	102 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T940	Tunable White	33.6 W/m	1400K / 4000K	CRI90	3478 lm	104 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T950	Tunable White	33.6 W/m	1400K / 5000K	CRI90	3496 lm	104 Lm/W	100 mm	3 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 13 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 33W 914/T957	Tunable White	33.6 W/m	1400K / 5700K	CRI90	3405 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T965	Tunable White	33.6 W/m	1400K / 6500K	CRI90	3405 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T970	Tunable White	33.6 W/m	1400K / 7000K	CRI90	3405 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 914/T980	Tunable White	33.6 W/m	1400K / 8000K	CRI90	3405 lm	101 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/027	Tunable White	33.6 W/m	1600K / 2700K	CRI90 / CRI95	2722 lm	81 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/030	Tunable White	33.6 W/m	1600K / 3000K	CRI90 / CRI95	2758 lm	82 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/035	Tunable White	33.6 W/m	1600K / 3500K	CRI90 / CRI95	2794 lm	83 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/040	Tunable White	33.6 W/m	1600K / 4000K	CRI90 / CRI95	2815 lm	84 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/918	Tunable White	33.6 W/m	1600K / 1800K	CRI90	2438 lm	73 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/920	Tunable White	33.6 W/m	1600K / 2000K	CRI90	2497 lm	74 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/922	Tunable White	33.6 W/m	1600K / 2200K	CRI90	2611 lm	78 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/925	Tunable White	33.6 W/m	1600K / 2500K	CRI90	2740 lm	82 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T927	Tunable White	33.6 W/m	1600K / 2700K	CRI90	3448 lm	103 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T930	Tunable White	33.6 W/m	1600K / 3000K	CRI90	3567 lm	106 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T935	Tunable White	33.6 W/m	1600K / 3500K	CRI90	3630 lm	108 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T940	Tunable White	33.6 W/m	1600K / 4000K	CRI90	3665 lm	109 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T950	Tunable White	33.6 W/m	1600K / 5000K	CRI90	3683 lm	110 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T957	Tunable White	33.6 W/m	1600K / 5700K	CRI90	3592 lm	107 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T965	Tunable White	33.6 W/m	1600K / 6500K	CRI90	3592 lm	107 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T970	Tunable White	33.6 W/m	1600K / 7000K	CRI90	3592 lm	107 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 916/T980	Tunable White	33.6 W/m	1600K / 8000K	CRI90	3592 lm	107 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/027	Tunable White	33.6 W/m	1800K / 2700K	CRI90 / CRI95	2972 lm	88 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/030	Tunable White	33.6 W/m	1800K / 3000K	CRI90 / CRI95	3008 lm	90 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/035	Tunable White	33.6 W/m	1800K / 3500K	CRI90 / CRI95	3044 lm	91 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/040	Tunable White	33.6 W/m	1800K / 4000K	CRI90 / CRI95	3065 lm	91 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/920	Tunable White	33.6 W/m	1800K / 2000K	CRI90	2747 lm	82 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/922	Tunable White	33.6 W/m	1800K / 2200K	CRI90	2861 lm	85 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/925	Tunable White	33.6 W/m	1800K / 2500K	CRI90	2990 lm	89 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T927	Tunable White	33.6 W/m	1800K / 2700K	CRI90	3698 lm	110 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T930	Tunable White	33.6 W/m	1800K / 3000K	CRI90	3817 lm	114 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T935	Tunable White	33.6 W/m	1800K / 3500K	CRI90	3880 lm	115 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T940	Tunable White	33.6 W/m	1800K / 4000K	CRI90	3915 lm	117 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T950	Tunable White	33.6 W/m	1800K / 5000K	CRI90	3933 lm	117 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T957	Tunable White	33.6 W/m	1800K / 5700K	CRI90	3842 lm	114 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T965	Tunable White	33.6 W/m	1800K / 6500K	CRI90	3842 lm	114 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T970	Tunable White	33.6 W/m	1800K / 7000K	CRI90	3842 lm	114 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 918/T980	Tunable White	33.6 W/m	1800K / 8000K	CRI90	3842 lm	114 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/027	Tunable White	33.6 W/m	2000K / 2700K	CRI90 / CRI95	3031 lm	90 Lm/W	100 mm	3 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 14 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 33W 920/030	Tunable White	33.6 W/m	2000K / 3000K	CRI90 / CRI95	3067 lm	91 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/035	Tunable White	33.6 W/m	2000K / 3500K	CRI90 / CRI95	3103 lm	92 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/040	Tunable White	33.6 W/m	2000K / 4000K	CRI90 / CRI95	3124 lm	93 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/922	Tunable White	33.6 W/m	2000K / 2200K	CRI90	2920 lm	87 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/925	Tunable White	33.6 W/m	2000K / 2500K	CRI90	3049 lm	91 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T927	Tunable White	33.6 W/m	2000K / 2700K	CRI90	3757 lm	112 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T930	Tunable White	33.6 W/m	2000K / 3000K	CRI90	3876 lm	115 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T935	Tunable White	33.6 W/m	2000K / 3500K	CRI90	3939 lm	117 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T940	Tunable White	33.6 W/m	2000K / 4000K	CRI90	3974 lm	118 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T950	Tunable White	33.6 W/m	2000K / 5000K	CRI90	3992 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T957	Tunable White	33.6 W/m	2000K / 5700K	CRI90	3901 lm	116 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T965	Tunable White	33.6 W/m	2000K / 6500K	CRI90	3901 lm	116 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T970	Tunable White	33.6 W/m	2000K / 7000K	CRI90	3901 lm	116 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 920/T980	Tunable White	33.6 W/m	2000K / 8000K	CRI90	3901 lm	116 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/027	Tunable White	33.6 W/m	2200K / 2700K	CRI90 / CRI95	3145 lm	94 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/030	Tunable White	33.6 W/m	2200K / 3000K	CRI90 / CRI95	3181 lm	95 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/035	Tunable White	33.6 W/m	2200K / 3500K	CRI90 / CRI95	3217 lm	96 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/040	Tunable White	33.6 W/m	2200K / 4000K	CRI90 / CRI95	3238 lm	96 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/925	Tunable White	33.6 W/m	2200K / 2500K	CRI90	3163 lm	94 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T927	Tunable White	33.6 W/m	2200K / 2700K	CRI90	3871 lm	115 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T930	Tunable White	33.6 W/m	2200K / 3000K	CRI90	3990 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T935	Tunable White	33.6 W/m	2200K / 3500K	CRI90	4053 lm	121 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T940	Tunable White	33.6 W/m	2200K / 4000K	CRI90	4088 lm	122 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T950	Tunable White	33.6 W/m	2200K / 5000K	CRI90	4106 lm	122 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T957	Tunable White	33.6 W/m	2200K / 5700K	CRI90	4015 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T965	Tunable White	33.6 W/m	2200K / 6500K	CRI90	4015 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T970	Tunable White	33.6 W/m	2200K / 7000K	CRI90	4015 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 922/T980	Tunable White	33.6 W/m	2200K / 8000K	CRI90	4015 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/027	Tunable White	33.6 W/m	2500K / 2700K	CRI90 / CRI95	3274 lm	97 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/030	Tunable White	33.6 W/m	2500K / 3000K	CRI90 / CRI95	3310 lm	99 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/035	Tunable White	33.6 W/m	2500K / 3500K	CRI90 / CRI95	3346 lm	100 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/040	Tunable White	33.6 W/m	2500K / 4000K	CRI90 / CRI95	3367 lm	100 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T927	Tunable White	33.6 W/m	2500K / 2700K	CRI90	4000 lm	119 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T930	Tunable White	33.6 W/m	2500K / 3000K	CRI90	4119 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T935	Tunable White	33.6 W/m	2500K / 3500K	CRI90	4182 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T940	Tunable White	33.6 W/m	2500K / 4000K	CRI90	4217 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T950	Tunable White	33.6 W/m	2500K / 5000K	CRI90	4235 lm	126 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T957	Tunable White	33.6 W/m	2500K / 5700K	CRI90	4144 lm	123 Lm/W	100 mm	3 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 15 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 33W 925/T965	Tunable White	33.6 W/m	2500K / 6500K	CRI90	4144 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T970	Tunable White	33.6 W/m	2500K / 7000K	CRI90	4144 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W 925/T980	Tunable White	33.6 W/m	2500K / 8000K	CRI90	4144 lm	123 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/030	Tunable White	33.6 W/m	2700K / 3000K	CRI90 / CRI95	4018 lm	120 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/035	Tunable White	33.6 W/m	2700K / 3500K	CRI90 / CRI95	4054 lm	121 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/040	Tunable White	33.6 W/m	2700K / 4000K	CRI90 / CRI95	4075 lm	121 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T930	Tunable White	33.6 W/m	2700K / 3000K	CRI90	4827 lm	144 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T935	Tunable White	33.6 W/m	2700K / 3500K	CRI90	4890 lm	146 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T940	Tunable White	33.6 W/m	2700K / 4000K	CRI90	4925 lm	147 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T950	Tunable White	33.6 W/m	2700K / 5000K	CRI90	4943 lm	147 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T957	Tunable White	33.6 W/m	2700K / 5700K	CRI90	4852 lm	144 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T965	Tunable White	33.6 W/m	2700K / 6500K	CRI90	4852 lm	144 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T970	Tunable White	33.6 W/m	2700K / 7000K	CRI90	4852 lm	144 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T927/T980	Tunable White	33.6 W/m	2700K / 8000K	CRI90	4852 lm	144 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/035	Tunable White	33.6 W/m	3000K / 3500K	CRI90 / CRI95	4173 lm	124 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/040	Tunable White	33.6 W/m	3000K / 4000K	CRI90 / CRI95	4194 lm	125 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T935	Tunable White	33.6 W/m	3000K / 3500K	CRI90	5009 lm	149 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T940	Tunable White	33.6 W/m	3000K / 4000K	CRI90	5044 lm	150 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T950	Tunable White	33.6 W/m	3000K / 5000K	CRI90	5062 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T957	Tunable White	33.6 W/m	3000K / 5700K	CRI90	4971 lm	148 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T965	Tunable White	33.6 W/m	3000K / 6500K	CRI90	4971 lm	148 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T970	Tunable White	33.6 W/m	3000K / 7000K	CRI90	4971 lm	148 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T930/T980	Tunable White	33.6 W/m	3000K / 8000K	CRI90	4971 lm	148 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/040	Tunable White	33.6 W/m	3500K / 4000K	CRI90 / CRI95	4257 lm	127 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T940	Tunable White	33.6 W/m	3500K / 4000K	CRI90	5107 lm	152 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T950	Tunable White	33.6 W/m	3500K / 5000K	CRI90	5125 lm	153 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T957	Tunable White	33.6 W/m	3500K / 5700K	CRI90	5034 lm	150 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T965	Tunable White	33.6 W/m	3500K / 6500K	CRI90	5034 lm	150 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T970	Tunable White	33.6 W/m	3500K / 7000K	CRI90	5034 lm	150 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T935/T980	Tunable White	33.6 W/m	3500K / 8000K	CRI90	5034 lm	150 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T940/T950	Tunable White	33.6 W/m	4000K / 5000K	CRI90	5160 lm	154 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T940/T957	Tunable White	33.6 W/m	4000K / 5700K	CRI90	5069 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T940/T965	Tunable White	33.6 W/m	4000K / 6500K	CRI90	5069 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T940/T970	Tunable White	33.6 W/m	4000K / 7000K	CRI90	5069 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T940/T980	Tunable White	33.6 W/m	4000K / 8000K	CRI90	5069 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T950/T957	Tunable White	33.6 W/m	5000K / 5700K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T950/T965	Tunable White	33.6 W/m	5000K / 6500K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T950/T970	Tunable White	33.6 W/m	5000K / 7000K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 16 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 33W T950/T980	Tunable White	33.6 W/m	5000K / 8000K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T957/T965	Tunable White	33.6 W/m	5700K / 6500K	CRI90	4996 lm	149 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T957/T970	Tunable White	33.6 W/m	5700K / 7000K	CRI90	4996 lm	149 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T957/T980	Tunable White	33.6 W/m	5700K / 8000K	CRI90	4996 lm	149 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T965/T970	Tunable White	33.6 W/m	6500K / 7000K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T965/T980	Tunable White	33.6 W/m	6500K / 8000K	CRI90	5087 lm	151 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 33W T970/T980	Tunable White	33.6 W/m	7000K / 8000K	CRI90	4996 lm	149 Lm/W	100 mm	3 m	PDF ↗
TW70/NN G5 45W 027/030	Tunable White	45.6 W/m	2700K / 3000K	CRI95	4357 lm	96 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/035	Tunable White	45.6 W/m	2700K / 3500K	CRI95	4404 lm	97 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/040	Tunable White	45.6 W/m	2700K / 4000K	CRI95	4433 lm	97 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T930	Tunable White	45.6 W/m	2700K / 3000K	CRI95 / CRI90	5453 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T935	Tunable White	45.6 W/m	2700K / 3500K	CRI95 / CRI90	5537 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T940	Tunable White	45.6 W/m	2700K / 4000K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T950	Tunable White	45.6 W/m	2700K / 5000K	CRI95 / CRI90	5611 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T957	Tunable White	45.6 W/m	2700K / 5700K	CRI95 / CRI90	5490 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T965	Tunable White	45.6 W/m	2700K / 6500K	CRI95 / CRI90	5490 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T970	Tunable White	45.6 W/m	2700K / 7000K	CRI95 / CRI90	5490 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 027/T980	Tunable White	45.6 W/m	2700K / 8000K	CRI95 / CRI90	5490 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/035	Tunable White	45.6 W/m	3000K / 3500K	CRI95	4451 lm	98 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/040	Tunable White	45.6 W/m	3000K / 4000K	CRI95	4480 lm	98 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T935	Tunable White	45.6 W/m	3000K / 3500K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T940	Tunable White	45.6 W/m	3000K / 4000K	CRI95 / CRI90	5631 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T950	Tunable White	45.6 W/m	3000K / 5000K	CRI95 / CRI90	5658 lm	124 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T957	Tunable White	45.6 W/m	3000K / 5700K	CRI95 / CRI90	5537 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T965	Tunable White	45.6 W/m	3000K / 6500K	CRI95 / CRI90	5537 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T970	Tunable White	45.6 W/m	3000K / 7000K	CRI95 / CRI90	5537 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 030/T980	Tunable White	45.6 W/m	3000K / 8000K	CRI95 / CRI90	5537 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/040	Tunable White	45.6 W/m	3500K / 4000K	CRI95	4527 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T940	Tunable White	45.6 W/m	3500K / 4000K	CRI95 / CRI90	5678 lm	125 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T950	Tunable White	45.6 W/m	3500K / 5000K	CRI95 / CRI90	5705 lm	125 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T957	Tunable White	45.6 W/m	3500K / 5700K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T965	Tunable White	45.6 W/m	3500K / 6500K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T970	Tunable White	45.6 W/m	3500K / 7000K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 035/T980	Tunable White	45.6 W/m	3500K / 8000K	CRI95 / CRI90	5584 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 040/T950	Tunable White	45.6 W/m	4000K / 5000K	CRI95 / CRI90	5734 lm	126 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 040/T957	Tunable White	45.6 W/m	4000K / 5700K	CRI95 / CRI90	5613 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 040/T965	Tunable White	45.6 W/m	4000K / 6500K	CRI95 / CRI90	5613 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 040/T970	Tunable White	45.6 W/m	4000K / 7000K	CRI95 / CRI90	5613 lm	123 Lm/W	100 mm	2 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 17 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 45W 040/T980	Tunable White	45.6 W/m	4000K / 8000K	CRI95 / CRI90	5613 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/027	Tunable White	45.6 W/m	1400K / 2700K	CRI90 / CRI95	3356 lm	74 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/030	Tunable White	45.6 W/m	1400K / 3000K	CRI90 / CRI95	3403 lm	75 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/035	Tunable White	45.6 W/m	1400K / 3500K	CRI90 / CRI95	3450 lm	76 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/040	Tunable White	45.6 W/m	1400K / 4000K	CRI90 / CRI95	3479 lm	76 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/916	Tunable White	45.6 W/m	1400K / 1600K	CRI90	2649 lm	58 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/918	Tunable White	45.6 W/m	1400K / 1800K	CRI90	2980 lm	65 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/920	Tunable White	45.6 W/m	1400K / 2000K	CRI90	3057 lm	67 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/922	Tunable White	45.6 W/m	1400K / 2200K	CRI90	3208 lm	70 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/925	Tunable White	45.6 W/m	1400K / 2500K	CRI90	3378 lm	74 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T927	Tunable White	45.6 W/m	1400K / 2700K	CRI90	4340 lm	95 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T930	Tunable White	45.6 W/m	1400K / 3000K	CRI90	4499 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T935	Tunable White	45.6 W/m	1400K / 3500K	CRI90	4583 lm	101 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T940	Tunable White	45.6 W/m	1400K / 4000K	CRI90	4630 lm	102 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T950	Tunable White	45.6 W/m	1400K / 5000K	CRI90	4657 lm	102 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T957	Tunable White	45.6 W/m	1400K / 5700K	CRI90	4536 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T965	Tunable White	45.6 W/m	1400K / 6500K	CRI90	4536 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T970	Tunable White	45.6 W/m	1400K / 7000K	CRI90	4536 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 914/T980	Tunable White	45.6 W/m	1400K / 8000K	CRI90	4536 lm	99 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/027	Tunable White	45.6 W/m	1600K / 2700K	CRI90 / CRI95	3603 lm	79 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/030	Tunable White	45.6 W/m	1600K / 3000K	CRI90 / CRI95	3650 lm	80 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/035	Tunable White	45.6 W/m	1600K / 3500K	CRI90 / CRI95	3697 lm	81 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/040	Tunable White	45.6 W/m	1600K / 4000K	CRI90 / CRI95	3726 lm	82 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/918	Tunable White	45.6 W/m	1600K / 1800K	CRI90	3227 lm	71 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/920	Tunable White	45.6 W/m	1600K / 2000K	CRI90	3304 lm	72 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/922	Tunable White	45.6 W/m	1600K / 2200K	CRI90	3455 lm	76 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/925	Tunable White	45.6 W/m	1600K / 2500K	CRI90	3625 lm	79 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T927	Tunable White	45.6 W/m	1600K / 2700K	CRI90	4587 lm	101 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T930	Tunable White	45.6 W/m	1600K / 3000K	CRI90	4746 lm	104 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T935	Tunable White	45.6 W/m	1600K / 3500K	CRI90	4830 lm	106 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T940	Tunable White	45.6 W/m	1600K / 4000K	CRI90	4877 lm	107 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T950	Tunable White	45.6 W/m	1600K / 5000K	CRI90	4904 lm	108 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T957	Tunable White	45.6 W/m	1600K / 5700K	CRI90	4783 lm	105 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T965	Tunable White	45.6 W/m	1600K / 6500K	CRI90	4783 lm	105 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T970	Tunable White	45.6 W/m	1600K / 7000K	CRI90	4783 lm	105 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 916/T980	Tunable White	45.6 W/m	1600K / 8000K	CRI90	4783 lm	105 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/027	Tunable White	45.6 W/m	1800K / 2700K	CRI90 / CRI95	3934 lm	86 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/030	Tunable White	45.6 W/m	1800K / 3000K	CRI90 / CRI95	3981 lm	87 Lm/W	100 mm	2 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 18 OF
20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 45W 918/035	Tunable White	45.6 W/m	1800K / 3500K	CRI90 / CRI95	4028 lm	88 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/040	Tunable White	45.6 W/m	1800K / 4000K	CRI90 / CRI95	4057 lm	89 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/920	Tunable White	45.6 W/m	1800K / 2000K	CRI90	3635 lm	80 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/922	Tunable White	45.6 W/m	1800K / 2200K	CRI90	3786 lm	83 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/925	Tunable White	45.6 W/m	1800K / 2500K	CRI90	3956 lm	87 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T927	Tunable White	45.6 W/m	1800K / 2700K	CRI90	4918 lm	108 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T930	Tunable White	45.6 W/m	1800K / 3000K	CRI90	5077 lm	111 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T935	Tunable White	45.6 W/m	1800K / 3500K	CRI90	5161 lm	113 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T940	Tunable White	45.6 W/m	1800K / 4000K	CRI90	5208 lm	114 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T950	Tunable White	45.6 W/m	1800K / 5000K	CRI90	5235 lm	115 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T957	Tunable White	45.6 W/m	1800K / 5700K	CRI90	5114 lm	112 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T965	Tunable White	45.6 W/m	1800K / 6500K	CRI90	5114 lm	112 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T970	Tunable White	45.6 W/m	1800K / 7000K	CRI90	5114 lm	112 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 918/T980	Tunable White	45.6 W/m	1800K / 8000K	CRI90	5114 lm	112 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/027	Tunable White	45.6 W/m	2000K / 2700K	CRI90 / CRI95	4011 lm	88 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/030	Tunable White	45.6 W/m	2000K / 3000K	CRI90 / CRI95	4058 lm	89 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/035	Tunable White	45.6 W/m	2000K / 3500K	CRI90 / CRI95	4105 lm	90 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/040	Tunable White	45.6 W/m	2000K / 4000K	CRI90 / CRI95	4134 lm	91 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/922	Tunable White	45.6 W/m	2000K / 2200K	CRI90	3863 lm	85 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/925	Tunable White	45.6 W/m	2000K / 2500K	CRI90	4033 lm	88 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T927	Tunable White	45.6 W/m	2000K / 2700K	CRI90	4995 lm	110 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T930	Tunable White	45.6 W/m	2000K / 3000K	CRI90	5154 lm	113 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T935	Tunable White	45.6 W/m	2000K / 3500K	CRI90	5238 lm	115 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T940	Tunable White	45.6 W/m	2000K / 4000K	CRI90	5285 lm	116 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T950	Tunable White	45.6 W/m	2000K / 5000K	CRI90	5312 lm	116 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T957	Tunable White	45.6 W/m	2000K / 5700K	CRI90	5191 lm	114 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T965	Tunable White	45.6 W/m	2000K / 6500K	CRI90	5191 lm	114 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T970	Tunable White	45.6 W/m	2000K / 7000K	CRI90	5191 lm	114 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 920/T980	Tunable White	45.6 W/m	2000K / 8000K	CRI90	5191 lm	114 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/027	Tunable White	45.6 W/m	2200K / 2700K	CRI90 / CRI95	4162 lm	91 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/030	Tunable White	45.6 W/m	2200K / 3000K	CRI90 / CRI95	4209 lm	92 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/035	Tunable White	45.6 W/m	2200K / 3500K	CRI90 / CRI95	4256 lm	93 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/040	Tunable White	45.6 W/m	2200K / 4000K	CRI90 / CRI95	4285 lm	94 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/925	Tunable White	45.6 W/m	2200K / 2500K	CRI90	4184 lm	92 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T927	Tunable White	45.6 W/m	2200K / 2700K	CRI90	5146 lm	113 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T930	Tunable White	45.6 W/m	2200K / 3000K	CRI90	5305 lm	116 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T935	Tunable White	45.6 W/m	2200K / 3500K	CRI90	5389 lm	118 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T940	Tunable White	45.6 W/m	2200K / 4000K	CRI90	5436 lm	119 Lm/W	100 mm	2 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 19 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 45W 922/T950	Tunable White	45.6 W/m	2200K / 5000K	CRI90	5463 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T957	Tunable White	45.6 W/m	2200K / 5700K	CRI90	5342 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T965	Tunable White	45.6 W/m	2200K / 6500K	CRI90	5342 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T970	Tunable White	45.6 W/m	2200K / 7000K	CRI90	5342 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 922/T980	Tunable White	45.6 W/m	2200K / 8000K	CRI90	5342 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/027	Tunable White	45.6 W/m	2500K / 2700K	CRI90 / CRI95	4332 lm	95 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/030	Tunable White	45.6 W/m	2500K / 3000K	CRI90 / CRI95	4379 lm	96 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/035	Tunable White	45.6 W/m	2500K / 3500K	CRI90 / CRI95	4426 lm	97 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/040	Tunable White	45.6 W/m	2500K / 4000K	CRI90 / CRI95	4455 lm	98 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T927	Tunable White	45.6 W/m	2500K / 2700K	CRI90	5316 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T930	Tunable White	45.6 W/m	2500K / 3000K	CRI90	5475 lm	120 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T935	Tunable White	45.6 W/m	2500K / 3500K	CRI90	5559 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T940	Tunable White	45.6 W/m	2500K / 4000K	CRI90	5606 lm	123 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T950	Tunable White	45.6 W/m	2500K / 5000K	CRI90	5633 lm	124 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T957	Tunable White	45.6 W/m	2500K / 5700K	CRI90	5512 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T965	Tunable White	45.6 W/m	2500K / 6500K	CRI90	5512 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T970	Tunable White	45.6 W/m	2500K / 7000K	CRI90	5512 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W 925/T980	Tunable White	45.6 W/m	2500K / 8000K	CRI90	5512 lm	121 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/030	Tunable White	45.6 W/m	2700K / 3000K	CRI90 / CRI95	5341 lm	117 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/035	Tunable White	45.6 W/m	2700K / 3500K	CRI90 / CRI95	5388 lm	118 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/040	Tunable White	45.6 W/m	2700K / 4000K	CRI90 / CRI95	5417 lm	119 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T930	Tunable White	45.6 W/m	2700K / 3000K	CRI90	6437 lm	141 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T935	Tunable White	45.6 W/m	2700K / 3500K	CRI90	6521 lm	143 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T940	Tunable White	45.6 W/m	2700K / 4000K	CRI90	6568 lm	144 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T950	Tunable White	45.6 W/m	2700K / 5000K	CRI90	6595 lm	145 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T957	Tunable White	45.6 W/m	2700K / 5700K	CRI90	6474 lm	142 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T965	Tunable White	45.6 W/m	2700K / 6500K	CRI90	6474 lm	142 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T970	Tunable White	45.6 W/m	2700K / 7000K	CRI90	6474 lm	142 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T927/T980	Tunable White	45.6 W/m	2700K / 8000K	CRI90	6474 lm	142 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/035	Tunable White	45.6 W/m	3000K / 3500K	CRI90 / CRI95	5547 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/040	Tunable White	45.6 W/m	3000K / 4000K	CRI90 / CRI95	5576 lm	122 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T935	Tunable White	45.6 W/m	3000K / 3500K	CRI90	6680 lm	146 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T940	Tunable White	45.6 W/m	3000K / 4000K	CRI90	6727 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T950	Tunable White	45.6 W/m	3000K / 5000K	CRI90	6754 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T957	Tunable White	45.6 W/m	3000K / 5700K	CRI90	6633 lm	145 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T965	Tunable White	45.6 W/m	3000K / 6500K	CRI90	6633 lm	145 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T970	Tunable White	45.6 W/m	3000K / 7000K	CRI90	6633 lm	145 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T930/T980	Tunable White	45.6 W/m	3000K / 8000K	CRI90	6633 lm	145 Lm/W	100 mm	2 m	PDF ↗

ARCHITAPE PRO 70 HIGH-OUTPUT TUNABLE SERIES – COMPLETE MODEL DIRECTORY

PAGE 20 OF 20

PART CODE	VARIANT	POWER	CCT / COLOUR	CRI	FLUX / OUTPUT	EFFICACY	CUTTING STEP	MAX RUN	DATASHEET
TW70/NN G5 45W T935/040	Tunable White	45.6 W/m	3500K / 4000K	CRI90 / CRI95	5660 lm	124 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T940	Tunable White	45.6 W/m	3500K / 4000K	CRI90	6811 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T950	Tunable White	45.6 W/m	3500K / 5000K	CRI90	6838 lm	150 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T957	Tunable White	45.6 W/m	3500K / 5700K	CRI90	6717 lm	147 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T965	Tunable White	45.6 W/m	3500K / 6500K	CRI90	6717 lm	147 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T970	Tunable White	45.6 W/m	3500K / 7000K	CRI90	6717 lm	147 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T935/T980	Tunable White	45.6 W/m	3500K / 8000K	CRI90	6717 lm	147 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T940/T950	Tunable White	45.6 W/m	4000K / 5000K	CRI90	6885 lm	151 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T940/T957	Tunable White	45.6 W/m	4000K / 5700K	CRI90	6764 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T940/T965	Tunable White	45.6 W/m	4000K / 6500K	CRI90	6764 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T940/T970	Tunable White	45.6 W/m	4000K / 7000K	CRI90	6764 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T940/T980	Tunable White	45.6 W/m	4000K / 8000K	CRI90	6764 lm	148 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T950/T957	Tunable White	45.6 W/m	5000K / 5700K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T950/T965	Tunable White	45.6 W/m	5000K / 6500K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T950/T970	Tunable White	45.6 W/m	5000K / 7000K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T950/T980	Tunable White	45.6 W/m	5000K / 8000K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T957/T965	Tunable White	45.6 W/m	5700K / 6500K	CRI90	6670 lm	146 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T957/T970	Tunable White	45.6 W/m	5700K / 7000K	CRI90	6670 lm	146 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T957/T980	Tunable White	45.6 W/m	5700K / 8000K	CRI90	6670 lm	146 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T965/T970	Tunable White	45.6 W/m	6500K / 7000K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T965/T980	Tunable White	45.6 W/m	6500K / 8000K	CRI90	6791 lm	149 Lm/W	100 mm	2 m	PDF ↗
TW70/NN G5 45W T970/T980	Tunable White	45.6 W/m	7000K / 8000K	CRI90	6670 lm	146 Lm/W	100 mm	2 m	PDF ↗

ARCHITAPE INDOOR LED TAPE SERIES